



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Two's company, three's a crowd? Maternal and paternal talk about their infant differs in associations with wellbeing, couple relationship quality, and caregiving sensitivity

Citation for published version:

Foley, S, Álvarez, C, McCarthy, J & Hughes, C 2020, 'Two's company, three's a crowd? Maternal and paternal talk about their infant differs in associations with wellbeing, couple relationship quality, and caregiving sensitivity', *Frontiers in psychiatry*, vol. 11, 578632. <https://doi.org/10.3389/fpsyt.2020.578632>

Digital Object Identifier (DOI):

[10.3389/fpsyt.2020.578632](https://doi.org/10.3389/fpsyt.2020.578632)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Publisher's PDF, also known as Version of record

Published In:

Frontiers in psychiatry

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.





Two's Company, Three's a Crowd? Maternal and Paternal Talk About Their Infant Differs in Associations With Wellbeing, Couple Relationship Quality, and Caregiving Sensitivity

Sarah Foley*, Carolina Álvarez, Jade McCarthy and Claire Hughes

Centre for Family Research, University of Cambridge, Cambridge, United Kingdom

OPEN ACCESS

Edited by:

Susan Garthus-Niegel,
Medical School Hamburg, Germany

Reviewed by:

Susann Schmiedgen,
Technische Universität
Dresden, Germany
Laura Vismara,
University of Cagliari, Italy

*Correspondence:

Sarah Foley
sf412@cam.ac.uk

Specialty section:

This article was submitted to
Psychopathology,
a section of the journal
Frontiers in Psychiatry

Received: 01 July 2020

Accepted: 20 October 2020

Published: 19 November 2020

Citation:

Foley S, Álvarez C, McCarthy J and
Hughes C (2020) Two's Company,
Three's a Crowd? Maternal and
Paternal Talk About Their Infant Differs
in Associations With Wellbeing,
Couple Relationship Quality, and
Caregiving Sensitivity.
Front. Psychiatry 11:578632.
doi: 10.3389/fpsy.2020.578632

Problems of depression and anxiety are common in early parenthood and adversely affect parenting quality (1). Rumination is closely linked to poor wellbeing (2), suggesting that self-focus may be one mediator of the association between wellbeing and caregiving [e.g., (3)]. Framed within an international study of first-time mothers and fathers (4), the current study included 396 British mothers and fathers (in 198 heterosexual cohabiting couple relationships) of first-born 4-month-old infants. Parents reported on their symptoms of depression, anxiety and satisfaction in their couple relationship. Five-minute speech samples were transcribed and coded for parents' pronoun use (i.e., "I" and either infant- or partner-inclusive use of "We"), whilst observations in the Still-Face paradigm were coded for parental sensitivity to infants' cues. Our first goal was to test whether new parents' self-focus was associated with wellbeing and couple relationship quality. We also examined whether (i) self-focus mediated the expected association between wellbeing and caregiving sensitivity and (ii) couple relationship quality moderated the expected association between self-focus and caregiver sensitivity. Finally, we compared results for mothers and fathers. Our results illustrate gender-specific associations. First, although mean levels of self-focus and partner-inclusive talk were similar for mothers and fathers, infant-inclusive use of the "we" pronoun was higher in mothers than fathers. Second, self-focus was unrelated to either mothers' or fathers' wellbeing, but was associated with fathers' report of reduced couple relationship quality. In addition, poor perinatal wellbeing was associated with reduced partner-inclusive talk for fathers, but with reduced use of infant-inclusive talk for mothers. Third, mediation models suggest that reduced infant-inclusive talk underpins the association between poor wellbeing and reduced sensitivity in mothers, but not fathers. Fourth, in the context of good couple relationship quality, mothers' elevated partner-inclusive talk was associated with reduced caregiving sensitivity. These findings are discussed in terms of their implications for interventions to support new mothers and fathers, who may benefit from distinct strategies to foster attention to their developing infant.

Keywords: self-focus, sensitivity, fathers, mothers, anxiety, depression

INTRODUCTION

Becoming a parent is an exciting but challenging time that brings major changes in lifestyle, identity, physical, and mental health (5–7). Approximately one in five new mothers experience serious and persistent symptoms of postnatal depression [PND; (6, 8)] or anxiety (9). Although often overlooked by health professionals, fathers are almost as likely as mothers to develop symptoms of depression and anxiety in the perinatal period (10). Moreover, the past few decades have seen a steady increase in fathers' involvement in caregiving (11), underscoring the importance of including fathers within research on early caregiving (12).

Adopting this approach, Hughes et al. (7) tracked an international (UK, USA, Netherlands) sample of 876 new parents (438 heterosexual couples expecting their first child) from the last trimester of pregnancy to the children's second birthday. Their latent variable analyses demonstrated conceptual equivalence and substantial within-couple concordance in mothers' and fathers' self-reported scores for depression and anxiety. However, their results also showed gender-specific mean wellbeing trajectories (stable for mothers, increased problems over time for fathers). Likewise, key sources of social support associated with improved wellbeing were also gender-specific: friends for mothers, family for fathers. This mixed pattern of results raises questions regarding similarities and contrasts in the cognitive and within-family interpersonal correlates of mothers' and fathers' perinatal wellbeing. To address this question, the current study is focused on detailed data gathered at 4-months from the UK parents and builds on two distinct research traditions.

First, studies framed by cognitive models of depression support the view that increased self-focus—the tendency to consistently focus and assess oneself—contributes to the onset and maintenance of negative affect (13) and may also mediate the impact of depression upon early caregiving. Evidence to support this view comes from an observational study of 54 mothers with 6-month-old infants (3). However, these findings have yet to be replicated in larger samples and it is not yet clear whether the conclusions can be extrapolated to fathers. Highlighting the importance of this omission, a second strand of research has demonstrated close links between wellbeing and couple relationship satisfaction [e.g., (14)]. Moreover, each of these constructs show a notable dip following the transition to parenthood (15, 16).

Each of the above traditions can be encompassed within family systems theory (17, 18). One key tenet stemming from this model is the *spillover hypothesis*, which posits that variation in couple relationship quality contributes to variation in the quality of parent-child interactions (19). Numerous studies have documented links between couple relationship quality and self-focus [e.g., (20)], but much less is known about their independence and interplay as predictors of caregiving. By adopting a couples design the current study addressed this gap by examining the associations between self-focus, wellbeing, couple relationship quality and caregiving sensitivity in first-time mothers and fathers.

LINKS BETWEEN SELF-FOCUS, PERINATAL WELLBEING, AND COUPLE RELATIONSHIP QUALITY IN MOTHERS AND FATHERS

Depression has been linked to maladaptive cognitive styles, including increased self-focus (21–23). Sakamoto (24) argued that self-focus contributes to both the onset and maintenance of depression, for example by exacerbating initial response to a negative life event and strengthening negative models of the self that lead to depressed mood (25).

Use of the first-person singular pronoun “I” is a simple, objective and unobtrusive index of individual's attention to the self (26), with classic experimental support [e.g., greater use first-person singular pronouns by individuals who complete a test when they are sat in front of a mirror; (27)]. Two lines of evidence support the construct validity of this measure. First, findings from a meta-analytic review showed a small but consistent positive association: $r = 0.13$ between use of “I” and self-reported levels of depressive symptoms (28). This finding is in line with results from an earlier meta-analysis of 226 studies that found a stronger association between negative affect (i.e., depression, anxiety) and self-focus in clinical than community samples (29). Second, Tackman et al. (30) pooled data from six labs in two countries (USA and Germany) to demonstrate that the frequency of adults' use of “I” shows a small but consistent association: $r = 0.10$ with general distress. Extending this empirical base to include first-time parents, we compared links between self-focus (assessed via the use of “I” in speech samples) and poor perinatal wellbeing in new mothers and new fathers.

Experimental studies of relationship quality have demonstrated that the use of ‘we’ rather than ‘you and I’ leads to heightened perceptions of real and fictitious relationships (31). Similarly, Seider et al. (32) observed couples for 15-min in conflict conversation and found that greater use of “we” was associated with more expressions of positive emotions as well as reduced cardiovascular arousal and expressions of negative emotion. In contrast, frequent use of “I” or “you” was associated with increased displays of negative affect and reduced marital satisfaction.

Two recent expressive writing studies also indicate that pronoun use reflects (and perhaps even contributes to) relationship quality. Robinson et al. (33) gave an expressive writing task to 88 undergraduate students whose partners were later invited to rate couple closeness; this multi-method multi-informant approach showed a small but positive association between use of the first-person plural “we” and partners' ratings of closeness. Unfortunately, a gender imbalance in the study sample (64% women) precluded any comparison of responses from men and women. However, findings from the first expressive writing study to involve married heterosexual couples ($N = 78$, mean age = 40 years for men, 38 years for women) indicate that the use of the plural pronoun “we” is associated with reports of marital satisfaction from women: $r = 0.26$ but not men: $r = 0.05$ (34).

This asymmetry is interesting and potentially relevant to the current study's focus upon early parenthood—a period that is associated with major shifts in the dynamics of family relationships. For most families, the burden of childcare in the early months falls upon mothers (35). Given this asymmetry, the first aim of this study was to test whether self-focus show similar links with poor perinatal wellbeing and couple relationship satisfaction in new mothers and fathers. The findings reported by Allgood et al. (34) suggest the association between couple satisfaction and use of the first-person plural pronoun “we” is likely to be stronger for women than for men.

DOES SELF-FOCUS MEDIATE THE IMPACT OF PERINATAL WELLBEING ON CAREGIVING SENSITIVITY FOR BOTH MOTHERS AND FATHERS?

We now turn to the second question of whether self-focus might play a mediating role with regards to the impact of poor perinatal wellbeing on parenting behavior. This proposal is framed by theoretical accounts of how parental cognitions influence parental behavior (36, 37), as well as by attachment theory, which highlights parental awareness and interpretation of infant cues as a key foundation for maternal sensitivity (38). From each of these perspectives, self-focus is viewed as constraining new parents' ability to tune into their infants' cues (39, 40).

Experimental work priming rumination provides support for the hypothesized mediating effect of self-focus in the association between wellbeing and caregiving sensitivity (41). In this study 253 mothers with 10-month-old infants [including 90 mothers with generalized anxiety disorder (GAD) and 57 with major depressive disorder (MDD)] were given either neutral or worry/rumination primes in order to examine the impact of self-focus on mothers' thoughts and mother-infant interaction quality. Compared with neutral primes, worry/rumination primes: (i) induced more negative thoughts and self-focus in the sample overall; and (ii) reduced responsiveness to infant vocalizations in mothers with GAD/MDD. DeJong, Fox and Stein (42) argue that these findings add support for their cognitive model of the impact of depression in parenting. Specifically, they propose that depression leads to negative cognitive biases and poor cognitive control, which contribute to rumination that in turn results in delayed or inaccurate responses to infants' cues.

Support for this model comes from a multi-method study of 54 mothers with 6-month-old infants (3). Specifically, this study showed that negative association between self-reported depressive symptoms and researchers' observational ratings of mothers' warmth toward their infant was mediated by variation in mothers' self-focus. In both the study by Humphreys et al. (3), and related studies (33, 34), self-focused was evaluated by coding the relative frequency of “I” and “we” terms from speech samples using the software package “Linguistic Investigation of Word Counts” [LIWC; (43)]. At first glance, automation offers a potentially valuable solution to the time-demands associated with observational research. However, a closer look reveals several

possible problems. For example, it is quite common for English-speaking parents to use the second person pronoun “You” to refer to themselves (e.g., “*You come home and you're dog-tired, but you know you need to make an effort for your baby*”). Likewise, in two-parent households the plural first-person pronoun “We” might be used to refer to parent and infant—as assumed by Humphreys et al. (3), but might equally be used to refer to parent and partner; as in the studies by Allgood et al. (34) and by Robinson et al. (33). This point has particular force for first-time parents, as the transition to parenthood necessarily leads to a re-negotiation of relationships as “two” become “three.” Unfortunately, LIWC is not sufficiently sophisticated to distinguish between parents' use of partner-inclusive vs. infant-inclusive first-person plural pronouns (“we” can also be used to refer to the whole family unit, but this usage is, in our experience, much less common).

Furthermore, in keeping with a general propensity to overlook fathers, Humphreys et al. (3) only included mothers in their study. In an exceptional study involving mothers and fathers, Branger et al. (44) found no effect of parent gender on mean levels of caregiving sensitivity observed in routine settings (e.g., lap-play) with 4-month-old infants. However, this study did not explore links between caregiving and either parental wellbeing, couple relationship satisfaction or self-focus. To address these gaps, the second aim of the current study was therefore to assess whether the mediating role of self-focus in the association between low parental wellbeing and poor caregiving sensitivity applies equally to mothers and fathers.

INTERPLAY BETWEEN SELF-FOCUS AND RELATIONSHIP QUALITY AS PREDICTORS OF SENSITIVITY

Becoming a parent involves learning how to interact with one's partner as co-parents, as well as developing a new relationship with the infant (45). Thus, researchers should involve family units rather than individuals and include measures of couple relationship quality alongside individual measures (wellbeing, self-focus) and assessments of parent-infant interactions.

Illustrating this approach, Galdiolo et al. (46) examined the association between use of “we” vs. “I” during a structured conversation about plans for raising their child and the observed quality of structured triadic family interactions (i.e., mother-father-child). In their sample of 47 heterosexual couples with 15-month olds, increased ‘we-ness’ was associated with higher ratings of warmth, whilst greater self-focus was associated with reduced inclusion and validation of one's partner during the interaction. Extrapolating from these findings and the wider literature on couple satisfaction (47), frequent use of infant-inclusive first-person plural pronouns is likely to index perceived closeness to the infant and so variation in the frequency of use of this form of “we” is expected to show a positive association with caregiving sensitivity.

However, family dynamics can be complicated: family systems theory also includes a “compensation” hypothesis that, for example, caregivers might devote extra attention to their infant to compensate for an unfulfilling partner relationship [e.g., (48)].

This possibility is captured by the adage “Two’s company, three’s a crowd” included in the title for this paper. The third aim of this study was to test whether difficulties in the couple relationship amplify the impact of self-focus on caregiving sensitivity. We hypothesized that this moderation effect would be especially clear for fathers.

SUMMARY OF MAIN AIMS

The current study of 396 first-time mothers and fathers (in 198 heterosexual cohabiting couple relationships) assessed the extent to which new mothers and fathers show common or distinct patterns of association between perinatal wellbeing, self-focus, relationship quality, and observed caregiving sensitivity at 4-months postpartum. To summarize, our study was guided by three research questions:

- Are links between self-focus, poor perinatal wellbeing and couple relationship quality similar for new mothers and fathers?
- Does self-focus play a similar mediating role in the association between perinatal wellbeing problems and caregiving sensitivity for mothers and fathers?
- Does self-focus show an increased salience for caregiving sensitivity in the context of either mothers’ or fathers’ reduced couple relationship satisfaction?

Overall, we expected to see more similarities than differences between new mothers and fathers in terms of the nature but not necessarily the magnitude of the associations between constructs. First, we hypothesized that the association between new mothers’ and fathers’ self-focus (assessed via the use of “I” in speech samples) would be of similar strength for perinatal distress and couple relationship quality. Second, for both mothers and fathers, we expected self-focus to underpin the association between distress and reduced sensitivity to infants’ cues. Finally, we expected that couple relationship problems would amplify the impact of self-focus on caregiving sensitivity in fathers more than mothers.

METHODS

Participants

This study reports on the UK-arm of an international prospective study of first-time parents (study name blinded) which sought to investigate the associations between parent wellbeing, parenting behavior and children’s self-regulation in the first two years of life. We recruited 221 first-time parent families to the UK-arm of (study name) from antenatal clinics in the East of England. To be eligible participants had to: (1) be first-time parents, (2) expecting delivery of a healthy singleton baby, (3) planning to speak English as a primary language with their child and (4) have no history of severe mental illness (e.g., psychosis) or substance misuse (note this was self-reported by parents and verified by a researcher during the parent interview). Five families were not eligible for follow-up when the infants were 4 months old due to birth complications or having left the country. Of the remaining 216 families, 18 families withdrew and 198 (92% retention rate;

Mother $M_{age} = 31.62$, $SD = 3.86$; Father $M_{age} = 33.36$, $SD = 4.42$) agreed to a home visit when their infants (108 boys, 90 girls) were 4 months old, $M_{Age} = 4.12$ months, $SD = 0.40$ months, range: 2.97 – 5.63 months. All parents were cohabiting, the majority of the sample were highly educated (84.7% of mothers and 77% of fathers had an undergraduate or higher degree), a minority of parents were from ethnic minority backgrounds (9% of mothers and 5% of fathers).

Procedure

The National Health Service (NHS UK) Research Ethics Committee (name blinded) approved the study protocol (ref number blinded). Parents provided informed consent to be interviewed in the third trimester and at 4-months post-birth and also completed online questionnaires about their wellbeing, couple relationship and family background. At 4 months, parent wellbeing was assessed via online questionnaires. Pairs of researchers conducted two separate home visits to each family, enabling the Still-Face paradigm to be administered twice (counterbalanced once with mother and once with father) without causing undue distress to the infant. Each parent was also invited independently to talk for five minutes about their infant, using the five-minute speech sample paradigm. Parental sensitivity was coded from observations of the Still-Face Paradigm (49) and parental pronoun use was coded from the transcripts of the five-minute speech sample (50).

Measures

Perinatal Wellbeing

Mothers’ and fathers’ symptoms of anxiety and depression were assessed via the 12-item General Health Questionnaire [GHQ12; (51)], the 20-item Center for Epidemiological Studies Depression Scale [CESD20; (52)], and the six-item State-Trait Anxiety Inventory [STAI; (53)]. Descriptive statistics for these questionnaires are presented in **Table 1**. A latent factor score was created and used in analyses, whereby a high score was indicative of poorer perinatal wellbeing [for further details regarding the measurement invariance of this measure please see, (7)].

Couple Relationship Quality

Mothers and fathers reported on their happiness and satisfaction in the couple relationship using the 16-item Couple Satisfaction Index (54). Parents also reported on the frequency with which they engaged/experienced negative interactions with their partner using the 6-item Conflict Tactics Scale (55). Parents scores on negative items were reverse coded so that high scores reflected low levels of conflict. Descriptive statistics for these questionnaires are presented in **Table 1**. A latent factor score was created and used in analyses, whereby a high score was indicative of greater relationship quality [for further details please see (4)].

Pronoun Use

Both parents provided a five-minute speech sample (FMSS) describing their infant and their relationship with their child (50). Specifically, they were instructed: “*I’d like to hear your thoughts and feelings about your baby, in your own words and without my interrupting with any questions or comments. When*

TABLE 1 | Descriptive Statistics and Reliability Information for 4-month Maternal and Paternal Questionnaires and Observation Measures.

4-month measures	Mother (N = 198)			Father (N = 198)		
	M	SD	α	M	SD	α
1. CESD	8.75	6.93	0.87	9.12	6.91	0.87
2. GHQ	1.57	2.19	0.81	2.26	1.74	0.81
3. STAI	10.21	2.88	0.77	11.15	3.13	0.81
4. CSI	69.27	9.60	0.96	68.24	11.49	0.96
5. CTS (reversed)	30.24	2.21	0.64	30.12	2.19	0.64
6. Observed sensitivity	1.71	0.80	-	1.43	0.74	-

CESD, Center for Epidemiological Studies Depression Scale; GHQ, General Health Questionnaire; STAI, State-Trait Anxiety Inventory; CSI, Couple Satisfaction Index; CTS, Conflict Tactics Scale (reverse scored); Observed sensitivity, adapted version of the global sensitivity rating scales; ICC, 0.82.

I ask you to begin I'd like you to speak for 5 minutes, telling me what kind of a person your baby is and how the two of you get along together." These speech samples were audio-recorded, transcribed verbatim and pronoun use was coded in a two-step process. First, we manually analyzed each transcript to distinguish between parents' use of "I" to refer to "I the child," "you" to refer to themselves as the parent and "we" meaning either "I and Baby," "I and Father/Mother," or "I, Baby and Father/Mother." Second, [and following the approach employed by Humphreys et al. (3)], to count the direct use of the pronoun "I," all the transcripts were read into the text analysis program Linguistic Inquiry and Word Count [LIWC; (43)]. From this basis, we then combined the manual and LIWC count for "I," and subtracted references to "I" which referred to their baby (i.e., exceptions that the automated software could not detect). As a result, we had three scores reflecting total self-focus, infant-inclusive and partner-inclusive talk. Examples of talk coded for pronoun use are given in **Table 1**.

Observed Parent Sensitivity

During the two home visits each parent completed the Still-Face paradigm with their infant. The five-minute still-face paradigm consists of three episodes; the baseline where the parent and infant interact as normal, the still-face where the parent ceases interaction and adopts a neutral face, and the reunion where normal face-to-face interaction is resumed (49). Sensitivity, based on gaze direction, vocalization, and verbalization, was coded using an adapted version of the 4-point global sensitivity rating scales (56, 57). Reliability was established on 20% of the samples, sensitivity ICC = 0.82, and descriptive statistics are presented in **Table 1**.

Analysis Plan

Pearson's correlations were used to examine the association between parent pronoun use, perinatal wellbeing, couple relationship quality, and sensitivity. We used a regression model to test whether difficulties in the couple relationship moderated the impact of self-focus on mothers' and fathers' sensitivity. Specifically, we added three terms to index the interaction between couple relationship quality and each talk measure (i.e., self-focus talk, partner-inclusive talk, and infant-inclusive talk). We mean-centered both of the independent variables prior

to calculating the interaction term and ran models separately for mothers and fathers, controlling for total word count and the length of the couple relationship. Following this we tested whether poor perinatal wellbeing increases the likelihood of being self-focused during infancy, which in turn reduces parents' sensitivity. A model to test for this indirect effect of depression on sensitivity via talk was specified using bootstrapping procedures with 10,000 bootstrap samples (58). All of the models were run using *Mplus* [Version 8; (59)] and model fit was assessed using Brown's (60) recommended criteria: non-significant chi-square, root mean square error of approximation (RMSEA) ≤ 0.06 , comparative fit index (CFI) ≥ 0.90 and Tucker-Lewis Index (TLI) ≥ 0.90 . Due to the non-normal distribution of the talk scores we used the robust maximum likelihood estimator with robust standard errors (MLR). Five-minute speech samples were missing from seven mothers and four fathers and so we adopted a full information approach to data analysis using the sample of 198 families. This approach is suitable for regression models and produces less biased estimates than traditional missing data handling procedures (61).

RESULTS

Preliminary Analyses: Mothers' and Fathers' Self-focus

Table 2 presents examples of self-focus, infant-inclusive and partner-inclusive talk coded from parents' speech samples. As described above, we supplemented automated coding of the speech samples using the LIWC software (43) with manual coding to capture parents' use of the second person pronoun "You" to refer to themselves. As shown in **Table 3**, which presents the means (*M*), standard deviations (*SD*) and ranges of the pronoun use variables, the enhanced self-focus measure captured significantly more of parents' references to the self than the LIWC software for both mothers, $t_{(191)} = 13.94$, $p < 0.001$, Cohen's $d = 0.29$, and fathers, $t_{(193)} = 14.13$, $p < 0.001$, Cohen's $d = 0.29$. Thus, this enhanced self-focus measure was used in all subsequent analyses. **Table 3** also reports the comparisons between mothers' and fathers' talk. These showed a modest contrast (favoring mothers) in frequency of infant-inclusive pronouns. However, mothers and fathers were similar on all other talk variables.

TABLE 2 | Coding of Pronoun Use in Five-Minute Speech Samples.

Pronouns included in count	Examples	Context
"I" to mean "I"	"I always thought" "I look forward to"	Clear reference to self
"You" to mean "I"	"it makes you feel like..." "you can sometimes think that..."	Speaking about own feelings Speaking about own thoughts
"We" to mean "I and Infant"	"we get along well" "we will read a book before bed"	Describing the relationship specifically between self and child Describing an activity that the parent and child will do together
"We" to mean "I and Partner"	"we would like another child" "we applaud him"	Speaking about self and partner with no reference to the child Speaking about self and partner with reference to the child
Pronouns excluded from count	Examples	Context
"I" to mean "Infant"	"I don't want to cuddle anymore" "I don't want you I want Mum"	Speaking from the perspective of the child rather than the self
"You" to mean "Infant"	"you like to play with this toy" "you laugh a lot"	Clear reference to the child rather than to self or interviewer
"You" used in a general phrase	"you know" "if you like"	Linguistic fillers or phrases used in speech with no reference to anyone
"You" to mean the interviewer	"you can see" "as you already know"	Directly referring to the interviewer, often in the context of other situations or instances the interviewer is familiar with
"We" to mean self and interviewer	"how much time do we have left?" "like we spoke about earlier"	Speaking about the interview or previous conversations, grouping her/himself with the Interviewer
"We" to mean parent and other family members	"we went to the park"	Referring to family members who are separate from mother, father and child

TABLE 3 | Means, Standard Deviations, Range, and Comparison between Mothers' and Fathers' Use of Self-Focused, Infant-Inclusive, and Partner-Inclusive Pronouns.

Talk	Mother (N = 191)			Father (N = 194)			Comparison		
	M (SD)	Range	Skew (SE)	M (SD)	Range	Skew (SE)	t	p	d
Self-focus	39.16 (16.42)	12–97	0.86 (0.17)	38.71 (19.17)	4–114	0.55 (0.18)	0.44	0.657	0.03
LIWC Self-focus	34.53 (15.43)	5–88	1.00 (0.18)	33.34 (17.8)	3–99	0.59 (0.18)	0.75	0.454	0.07
Infant-inclusive	4.78 (3.52)	0–16	1.91 (0.17)	4.06 (4.29)	0–22	0.79 (0.18)	2.09	0.038	0.18
Partner-inclusive	5.02 (5.23)	0–36	1.86 (0.17)	5.48 (5.49)	0–32	2.00 (0.18)	−1.03	0.306	0.09
Total talk	670.85 (187.50)	183–1115	0.36 (0.18)	669 (232.16)	148–1497	0.14 (0.17)	−0.27	0.791	0.01

Self-focus = LIWC plus manual coding of personal pronouns; LIWC self-focus = automated coding of pronoun use.

Is Poor Perinatal Wellbeing and Couple Satisfaction Associated With Increased Self-focus in Mothers and Fathers?

For mothers, perinatal wellbeing was unrelated to our index of self-focus, namely the use of the first-person singular pronoun "I" ($r = -0.04$, $p = 0.582$) but weakly negatively associated with use of both infant-inclusive: $r = -0.12$, $p = 0.097$, and partner-inclusive $r = -0.13$, $p = 0.082$, use of the first-person plural pronoun "we" (see Table 4). For fathers, poor perinatal wellbeing was likewise negatively associated with partner-inclusive use of the first-person plural pronoun "we"; $r = -0.17$, $p < 0.016$, but was unrelated to either self-focus, $r = 0.06$, $p = 0.431$, or infant-inclusive talk, $r = 0.04$, $p = 0.543$. There was no significant between-parent difference in the strength of association between wellbeing and infant-inclusive pronoun use ($z = 1.59$).

For fathers, couple relationship quality was, as expected, negatively related to self-focus, $r = -0.13$, $p = 0.067$, though unrelated to mothers' self-focus, $r = 0.01$, $p = 0.861$ (see Table 4).

However, both parents' reports of couple relationship quality were unrelated to frequency of either partner-inclusive (mother $r = -0.03$, $p = 0.639$, father $r = 0.04$, $p = 0.567$) or infant-inclusive pronoun use (mother $r = -0.04$, $p = 0.631$, father $r = 0.06$, $p = 0.442$).

Does Pronoun Use Mediate the Association Between Poor Perinatal Wellbeing and Sensitivity?

Although perinatal wellbeing and sensitivity were not directly related in this sample (see Table 4), "domino" chain reactions mean that direct effects are not necessary to demonstrate mediation (58). Given the positive findings reported by Humphreys et al. (3), we posited that poor perinatal wellbeing increases the likelihood of being self-focused during infancy, which in turn reduces parents' capacity to be sensitive to their infants' cues.

TABLE 4 | Correlations between Main Study Measures.

	Mother			Father		
	Wellbeing	Couple Relationship Quality	Observed Sensitivity	Wellbeing	Couple relationship Quality	Observed sensitivity
Self-focus talk	−0.04	0.01	0.06	0.06	−0.13+	0.04
LIWC self-focus talk	−0.07	0.05	0.05	0.09	−0.11	0.04
Partner-inclusive talk	−0.13+	−0.03	−0.18*	−0.17*	0.04	0.01
Infant-inclusive talk	−0.12+	−0.04	0.22**	0.04	0.06	−0.02
Total talk	0.00	−0.02	0.02	0.00	−0.02	0.04

Self-Focus = LIWC plus manual coding of personal pronouns; LIWC self-focus = automated coding of pronoun use.

+ $p < 0.10$; * $p < 0.05$; ** $p < 0.01$.

First, we examined maternal sensitivity, with word count as a covariate, and three potential mediators: self-focus, infant-inclusive, and partner-inclusive pronoun use. The *infant-inclusive* model showed good fit, RMSEA = 0.000, 90% CI [0.00, 0.03], CFI = 1.00, TLI = 1.00. The unstandardized estimate of the indirect effect of infant-inclusive talk and 95% confidence intervals with 10,000 bootstrap samples was significant, 0.01 [0.01, 0.03], indicating a modest but indirect effect of poor perinatal wellbeing via infant-inclusive talk on maternal sensitivity (see **Figure 1**). Both indirect effects for the corresponding mediation models involving self-focus, 0.00 [−0.01, 0.04], and partner-inclusive talk, 0.00 [−0.01, 0.03], included 0 within their 95% confidence intervals indicating a non-significant indirect effect.

Second, we ran the same mediation models for fathers. Unlike for mothers, as illustrated in **Figure 1**, we found no support for the idea that infant-inclusive talk mediated the association between fathers' perinatal wellbeing and sensitivity, −0.01 [−0.02, 0.01]. We also found no evidence that self-focus, −0.01 [−0.02, 0.03], nor partner-inclusive talk, −0.01 [−0.02, 0.01], mediated the association between fathers' perinatal wellbeing and sensitivity.

Do Couple Relationship Problems Amplify the Impact of Self-focus on Sensitivity?

We tested the proposed moderation effect of couple relationship quality on the association between pronoun use and parents' sensitivity, controlling for length of relationship. For mothers, one just-identified model provided support for the hypothesized moderation effect, as the interaction term between couple relationship quality and partner-inclusive talk was significant, $\beta = -0.23$, SE = 0.08, $Z = -3.04$, $p = 0.002$. We probed this interaction using simple slope analysis. This *post-hoc* exploration involves creating new terms to reflect low (−1SD), average and high (+1SD) values of the interaction terms and calculating the slope of each condition. As illustrated in **Figure 2**, we found the slopes reflecting interactions between average, $Z = -2.80$, $p = 0.005$, and high, $Z = -3.34$, $p = 0.005$, couple relationship quality and partner-inclusive talk to be significant [note Jamovi (62) was used to illustrate this interaction]. That is, in the context of good couple relationship quality, greater maternal use of partner-inclusive talk was associated with reduced sensitivity to infants' cues during the still-face interaction. However, neither the interaction terms between couple relationship quality and



self-focus, $\beta = -0.10$, SE = 0.17, $Z = -0.51$, $p = 0.612$, nor infant-inclusive talk, $\beta = -0.01$, SE = 0.10, $Z = -0.08$, $p = 0.935$ respectively, were significant.

For fathers, one just-identified model provided support for the hypothesized moderation effect, as the interaction term between couple relationship quality and self-focus talk was significant, $\beta = -0.36$, SE = 0.07, $Z = -2.66$, $p = 0.008$. However, following the same simple slope *post-hoc* procedures as outlined above, we found no significant differences between in the slopes reflecting low, average, and high couple relationship quality and self-focus, $Z < 1.5$, $p > 0.100$. In addition, neither the interaction terms between couple relationship quality and partner-inclusive, $\beta = -0.09$, SE = 0.17, $Z = -0.52$, $p = 0.601$, nor infant-inclusive talk, $\beta = 0.02$, SE = 0.16, $Z = 0.10$, $p = 0.924$ respectively, were significant.

DISCUSSION

This study involved 396 first-time mothers and fathers (in 198 heterosexual cohabiting couple relationships) who were each asked to talk for 5 min about their relationship with their 4-month-old infant. Automated and manual coding of these speech samples were used to obtain frequencies of first-person singular and plural pronouns, which were used as indicators of self-focus and parent-infant closeness. These two constructs were then examined in relation to self-reported parental wellbeing and couple relationship quality, as well as observational ratings of caregiving sensitivity. Mediation and moderation models were used to elucidate the processes underpinning the impact of postnatal problems of depression and anxiety on caregiving sensitivity in both mothers and fathers.

Our analyses yielded four key findings. First, fathers' self-focus was related to poor couple relationship quality but not perinatal wellbeing. Second, mothers' reduced ability to focus upon her relationship with her infant mediated the impact of postnatal symptoms of depression and anxiety upon caregiving sensitivity. Third, mothers' frequent use of partner-inclusive pronouns was associated with reduced sensitivity to the infant—and this especially clear in the context of a positive partner relationship. This moderation effect supports the adage “Two's company, three's a crowd”—at least for new mothers, who may be experiencing a time of divided loyalties. Fourth, the above



findings were largely gender specific, as our sample of first-time fathers of 4-month-old infants did not show significant mediation or moderation effects. Below we discuss these findings in turn.

Self-focus in New Parents Is Related to Poor Couple Relationship Quality Rather Than to Perinatal Wellbeing

Earlier, we noted that Nilly and Winquist (29) reported a stronger association between self-focus and symptoms of negative affect for clinical samples. In this context, the lack of association between wellbeing and self-focus may reflect the demographically low-risk nature of our sample. However, wellbeing was associated with levels of partner-inclusive talk for both mothers and fathers

and also associated with maternal levels of infant-inclusive talk. Two factors indicate that the lack of association between wellbeing and self-focus is unlikely to reflect a floor effect. First, on average, first-person singular pronoun “I” accounted for 5.11% of total talk ($SD = 1.90\%$), echoing results from other studies [e.g., (33), $M = 5.22$, $SD = 2.29\%$]. Second, this average rate was—for both mothers and fathers—approximately six times higher than for either partner-inclusive or infant-inclusive exemplars of the pronoun “we.” However, these latter measures did show greater variability and so may have been more sensitive to wellbeing-related contrasts in pronoun use. Thus, future studies might benefit by supplementing tallies of the first-person singular pronoun “I” with more nuanced measures of self-focus. For example, Woodruff-Borden et al. (63) found that whilst negative self-focus was positively associated with five

different measures of psychological distress, positive self-focus was *negatively* associated with symptoms of depression, anxiety and positively associated with social problem-solving skills.

Alternatively, our study findings may differ from prior studies because all of our participants had newly made the transition to parenthood, a period in which couple relationships show considerable change, with potential consequences for wellbeing. In the current study, fathers' self-focus was inversely related to couple relationship quality. Additional correlational analyses highlighted a negative association between couple relationship quality and poor perinatal wellbeing ($r = -0.14^*$ for mothers and $r = -0.33^{**}$ for fathers). This overlap echoes findings from empirical and intervention research that demonstrate the importance of partner support for mental health across the transition to parenthood (64, 65). Future research examining links between self-focus, mood and couple relationship satisfaction would benefit from including individuals at different stages of parenthood.

For New Mothers, Reduced Infant Focus Mediates the Impact of Poor Perinatal Wellbeing Upon Caregiving Sensitivity

Our results showed no direct inverse association between caregiving sensitivity and self-focus. However, reduced sensitivity in the Still Face paradigm was related to mothers' infrequent use of infant-inclusive pronouns. Our study therefore provides indirect support for the results reported by Humphreys et al. (3), as well as for reports that maternal depression shows positive associations with rumination [e.g., (66)] and negative associations with other markers of infant focus, including levels of mind-mindedness [e.g., (67, 68)]. These findings converge with DeJong et al. (42) cognitive model that suggests postnatal depression leads to cognitive biases which restrict mothers' cue processing.

That said, it is worth noting that pronoun use provides only one index of self-focus. Meta-analytic studies of the related construct of rumination highlight two dimensions: reflective pondering and brooding [e.g., (69)]. Given this distinction, although pronoun use is a widely used and considered an objective measure of self-focus (70), future replication research might benefit from also including different measures of self-focus, for example sentence completion stems (71).

Two's Company, but Three's a Crowd: Making Room for Baby

Extending the developmental scope of previous work with toddlers (46), our study of parents with 4-month old infants showed an inverse association between partner-inclusive talk and caregiver sensitivity. Furthermore, unlike Galdiolo et al. (46), our relatively large sample size allowed us to test whether couple relationship quality strengthened the association between parents' self-focus and individual caregiver sensitivity. Drawing on findings that fathers are especially susceptible to spill-over effects (72), we expected this moderation effect to be particularly clear for fathers. Instead, we found that greater partner-inclusive talk was only associated with reduced sensitivity to infants' cues in mothers—and that this inverse association was amplified in

the context of high couple relationship satisfaction. As parents were instructed to talk about their thoughts and feelings about their baby and how they were getting along with their baby, frequent reference to participants' marital partners might reflect difficulties in staying focused on the infant during the speech sample task. This difficulty in staying "present" may underpin the association between partner-inclusive talk and reduced caregiving sensitivity.

Symbolic of interdependence, use of the first-personal plural pronoun "we" has been linked with investment within relationships (47) and is seen as a means through which individuals make cognitive room for one another's psychological and emotional needs (73). As such, this moderation effect may actually be driven in the opposite direction. That is, relationships characterized by high levels of satisfaction and low levels of conflict may be a place of solace for new mothers experiencing difficulties in learning how to respond sensitively to their infants' distress cues. Our nuanced findings mirror results from a subsample of 93 families who took part in in-depth recordings of their family-talk environment at 7-months (48). Specifically, compared with mothers of daughters, mothers of sons who reported less satisfaction and more conflict in their relationship with their partner used more infant-directed speech. Taken together, our findings may also suggest a compensation effect, whereby mothers invest more energy into their interactions with their child when their couple relationship is not functioning as well.

Gender-Specific Links Between Perinatal Wellbeing, Self-focus, Couple Relationship Quality and Caregiving Sensitivity

Our results showed that reduced infant-inclusive talk was associated with symptoms of depression and anxiety in mothers, but not in fathers. That said, the difference in the strength of this association for mothers and fathers was not statistically significant. In contrast, the association between observational ratings of caregiving sensitivity and infant-inclusive talk was significantly stronger in mothers than in fathers.

Interestingly, the rather distinct patterns of results for fathers and mothers in this study contrasts with the broadly similar results for mothers and fathers in other analyses involving the same study sample. These include the finding that mothers and fathers provide conceptually equivalent ratings of their own symptoms of depression and anxiety (7) and do not, on average, differ in mean levels of caregiving sensitivity at 4-months (44). Other analyses from this study sample have also revealed striking between-parent similarities in: (a) the interplay between difficult birth experiences and postnatal wellbeing (7); and (b) associations between prenatal symptoms of anxiety and depression and infant adjustment at 24-months (4). That said, day-long recordings of family talk in a subsample of these families showed more frequent maternal rather than paternal infant-directed speech at 7 months (48). Outside of this sample, there are inconsistent reports of gender-related contrasts in parent sensitivity [e.g., (74, 75)]. Further research, mindful of the oft interconnected nature of parent gender and caregiver role, will

be helpful in teasing apart the nature of these differences [c.f., (76, 77)].

However, one plausible explanation of these contrasting results is that the asymmetry in findings for mothers and fathers is restricted to caregiving under stressful conditions. Indeed, it has been noted that the impact of poor maternal wellbeing on mothers' caregiving is more likely to be seen under stressful conditions (42). Furthermore, the Still-Face paradigm is especially suited to assessing parental sensitivity to infant distress, a behavior that is known to be differentially associated with mother-infant and father-infant attachment security (78). This dissonance may reflect the primary caregiver (typically mothers) fulfilling the "safe haven" function of the attachment relationship (i.e., providing comfort when distressed) (79), whilst fathers provide more of a "secure base" for exploration of the environment (80, 81). Consistent with this view, studies have shown that fathers who engaged in greater physical and object stimulation during interactions are more likely to be rated as having secure relationships with their infants (82). If fathers spend the majority of their time with their children in play rather than caregiving activities (83), their capacity to respond to infant distress cues in the stress-provoking still-face paradigm may not capture the salient features of paternal sensitivity that may be comprised by depressive symptoms. Therefore, future investigations of links between wellbeing and parent-child interactions should adopt a differentiated model that encompasses measures of parenting in distinct contexts.

IMPLICATIONS AND FUTURE DIRECTIONS

Cognitive behavioral therapy (CBT) aims to identify, evaluate and modify negative cognitions and dysfunctional beliefs [e.g., (84)] and is widely used both to treat depression (85) and minimize the negative impact of depression on mothers' parenting and subsequent child outcomes (86). Our mediation findings suggest that targeting mothers' cognitive style may also help reduce the intergenerational transmission of depression in community samples. At the same time, our findings suggest that interventions originating from maternal frameworks may not necessarily simply translate for use with fathers [c.f., (76, 77)].

Another important goal of future research would be to examine the experience and impact of poor perinatal wellbeing in samples from different cultural and ethnic backgrounds, who may differ from Western samples in both caregiving [e.g., (87)] and self-focused cognitions [e.g., (88)]. For example, given that different cultural scripts impact the presentation of depression across cultural contexts (89), it is likely that poor perinatal wellbeing will have a varied impact on parenting between and within cultures.

Other exciting avenues for future research concern examining direct links between parents' self-focus and child outcomes. Two longitudinal studies have reported predictive links between parents' rumination and poor pre-school outcomes; the first demonstrated direct negative effects of fathers' brooding rumination on pre-school emotional symptoms (90), whilst the second reported that rumination mediated the association between maternal depression and maladaptive emotion regulation in pre-school children a year later (91). Testing

whether parental self-focus has direct effects on child outcomes will provide important theoretical and practical contributions.

STRENGTHS AND LIMITATIONS

Three study limitations deserve note. First, the cross-sectional and correlational nature of our analyses mean that our findings should be interpreted with caution. Longitudinal work is needed to illuminate both the direction and developmental specificity of mechanisms underpinning associations between wellbeing and parenting behavior. Second, our sample reflect a self-selected group of highly educated first-time parents who were willing to opt-in to a project that would involve filmed parent-infant interactions with a child who they had yet to meet. Our findings therefore also require replication in studies involving more diverse samples. Third, while our measure of parents' sensitivity was based on the well-validated still-face paradigm (92), these parent-child observations were originally developed with mothers. As discussed earlier, future research adopting alternative coding schemes will enable us to test the specificity of this mediation model, for example coding sensitive responding during play or cognitive sensitivity may be particularly relevant for fathers (93).

That said, our study did also have a number of strengths. These include the involvement of a relatively large sample size (396 parents), who were assessed using a variety of methods (i.e., questionnaire, interviews, and observations). In addition, multi-measure indexes of couple relationship quality and perinatal wellbeing showed conceptual equivalence for new mothers and fathers, strengthening the reliability of our findings (7). In addition, our supplementary use of manual coding for pronoun use enabled us to examine subtle differences in the referents of parents' narratives, allowing us to distinguish, for example, between partner-inclusive and infant-inclusive plural pronouns—a distinction that may be especially salient for new parents.

CONCLUSIONS

Our study tested the links between self-focus, perinatal wellbeing, and mothers' and fathers' sensitivity to their 4-month old infants' cues. By including fathers as well as mothers and by adopting a fine-grained measure of self- vs. other-focus, we aimed to identify the specificity of the cognitive underpinnings of the well-known link between poor wellbeing and parent-infant interaction quality. Our gender-specific findings highlight the danger of extrapolating from mother-focused models to fathers. First, symptoms of depression and anxiety were related to reduced infant-inclusive talk—but only for mothers. Interestingly, variation in fathers' self-focus appeared related to poor couple relationship quality rather than to perinatal wellbeing. Likewise, our mediation models suggest that reduced infant-inclusive talk underpins the association between symptoms of depression and reduced maternal (but not paternal) sensitivity to infants' cues. Third, frequent partner-inclusive pronoun use was associated with reduced sensitivity to the infant—but again, only in mothers in the context of a positive partner relationship.

Our results also highlight the value of recognizing the family context within perinatal mental health research. Future research would benefit from examining the extent to which parent and infant characteristics may moderate the strength of these associations, as well as testing whether these findings replicate across development and different domains of parenting.

DATA AVAILABILITY STATEMENT

The datasets generated for this study can be found online at the UK Data Service repository: Hughes et al. (94).

ETHICS STATEMENT

The studies involving human participants were reviewed and approved by NHS London Bloomsbury REC. Protocol Reference: 14/LO/1113. Written informed consent to participate in this study was provided by the participants.

AUTHOR CONTRIBUTIONS

SF: data collection, data curation, formal analysis, writing—original draft. CÁ: data coding, writing—review and editing.

REFERENCES

- Galbally M, Lewis A. Depression and parenting: the need for improved intervention models. *Curr Opin Psychol.* (2017) 15:61–5. doi: 10.1016/j.copsyc.2017.02.008
- Takano K, Tanno Y. Self-rumination, self-reflection, and depression: Self-rumination counteracts the adaptive effect of self-reflection. *Behav Res Ther.* (2009) 47:260–4. doi: 10.1016/j.brat.2008.12.008
- Humphreys K, King L, Choi P, Gotlib I. Maternal depressive symptoms, self-focus, and caregiving behavior. *J Affect Disord.* (2018) 238:465–71. doi: 10.1016/j.jad.2018.05.072
- Hughes C, Devine R, Mesman J, Blair C. Parental well-being, couple relationship quality, and children's behavioral problems in the first 2 years of life. *Dev Psychopathol.* (2019) 32:935–44. doi: 10.1017/s0954579419000804
- Cameron E, Sedov I, Tomfohr-Madsen L. Prevalence of paternal depression in pregnancy and the postpartum: An updated meta-analysis. *J Affect Disord.* (2016) 206:189–203. doi: 10.1016/j.jad.2016.07.044
- Canário C, Figueiredo B. Anxiety and depressive symptoms in women and men from early pregnancy to 30 months postpartum. *J Reprod Infant Psychol.* (2017) 3:431–49. doi: 10.1080/02646838.2017.1368464
- Hughes CT, Devine R, Foley SD, Ribner A, Mesman J, Blair C. Couples becoming parents: Trajectories for psychological distress and buffering effects of social support. *J Affect Disord.* (2020) 265:372–80. doi: 10.1016/j.jad.2020.01.133
- Wee K, Skouteris H, Pier C, Richardson B, Milgrom J. Correlates of ante- and postnatal depression in fathers: a systematic review. *J Affect Disord.* (2011) 130:358–77. doi: 10.1016/j.jad.2010.06.019
- Dennis C, Falah-Hassani K, Shiri R. Prevalence of antenatal and postnatal anxiety: Systematic review and meta-analysis. *Br J Psychiatry.* (2017) 210:315–23. doi: 10.1192/bjp.bp.116.187179
- Paulson J, Bazemore S. Prenatal and postpartum depression in fathers and its association with maternal depression. *JAMA.* (2010) 303:1961. doi: 10.1001/jama.2010.605
- Bianchi SM. Family change and time allocation in american families. *Ann Am Acad Polit Soc Sci.* (2011) 638:21–44. doi: 10.1177/0002716211413731
- Cabrera NJ, Volling BL, Barr R. Fathers are parents, too! Widening the lens on parenting for children's development. *Child Dev Persp.* (2018) 12:152–7. doi: 10.1111/cdep.12275
- JM: data coding, writing—review and editing. CH: supervision, funding acquisition, methodology, writing—original draft. All authors contributed to the article and approved the submitted version.

FUNDING

The research was funded by a grant from the ESRC (ES/L016648/1). SF was funded by an ESRC Post-Doctoral Fellowship (ES/T008989/1). CÁ was funded by the National Agency for Research and Development (ANID)/Scholarship Program/Doctorado Becas Chile 2019 – 72200139.

ACKNOWLEDGMENTS

We thank all the families in the [blinded study name] for giving their time so generously. We would also like to thank the [study] Team: Rory T. Devine, Wendy Browne and Anja Lindberg for UK data collection and Judi Mesman, Lenneke Alink, Marjolein Branger, Rosanneke Emmen, and Mi-Lan Woudstra for assistance with coding parent sensitivity.

- Nolen-Hoeksema S. The role of rumination in depressive disorders and mixed anxiety/depressive symptoms. *J Abnorm Psychol.* (2000) 109:504–11. doi: 10.1037/0021-843x.109.3.504
- Whisman MA, Davila J, Goodman SH. Relationship adjustment, depression, and anxiety during pregnancy and the postpartum period. *J Fam Psychol.* (2011) 25:375–83. doi: 10.1037/a0023790
- Mitnick D, Heyman R, Smith Slep A. Changes in relationship satisfaction across the transition to parenthood: a meta-analysis. *J Fam Psychol.* (2009) 23:848–52. doi: 10.1037/a0017004
- Cowan C, Cowan P. *When Partners Become Parents: The Big Life Change for Couples.* New York, NY: Routledge (1992).
- Minuchin P. Families and individual development: provocations from the field of family therapy. *Child Dev.* (1985) 56:289–302. doi: 10.2307/1129720
- Cox M, Paley B. Families as systems. *Ann Rev Psychol.* (1997) 48:243–67. doi: 10.1146/annurev.psych.48.1.243
- Krishnakumar A, Buehler C. Interparental conflict and parenting behaviors: a meta-analytic review. *Fam Rel.* (2000) 49:22–44. doi: 10.1111/j.1741-3729.2000.00025.x
- Biesen J, Schooler D, Smith D. What a difference a pronoun makes. *J Lang Soc Psychol.* (2015) 35:180–205. doi: 10.1177/0261927x15583114
- Pyszczynski T, Hamilton JC, Herring FH, Greenberg J. Depression, self-focused attention, and the negative memory bias. *J Pers Soc Psychol.* (1989) 57:351–7. doi: 10.1037/0022-3514.57.2.351
- Grimm S, Ernst J, Boesiger P, Schuepbach D, Hell D, Boeker H, et al. Increased self-focus in major depressive disorder is related to neural abnormalities in subcortical-cortical midline structures. *Hum Brain Mapp.* (2009) 30:2617–27. doi: 10.1002/hbm.20693
- Lemogne C, Delaveau P, Freton M, Guionnet S, Fossati P. Medial prefrontal cortex and the self in major depression. *J Affect Disord.* (2012) 136:e1–e11. doi: 10.1016/j.jad.2010.11.034
- Sakamoto S. Self-focus and depression: the three phase model. *Behav Cogn Psychother.* (2000) 28:45–61. doi: 10.1017/s1352465800000059
- Greenberg J, Pyszczynski T. Persistent high self-focus after failure and low self-focus after success: the depressive self-focusing style. *J Pers Soc Psychol.* (1986) 50:1039–44. doi: 10.1037/0022-3514.50.5.1039

26. Tausczik YR, Pennebaker JW. The psychological meaning of words: LIWC and computerized text analysis methods. *J Lang Soc Psychol.* (2010) 29:24–54. doi: 10.1177/0261927X09351676
27. Davis D, Brock TC. Use of first person pronouns as a function of increased objective self-awareness and performance feedback. *J Exp Soc Psychol.* (1975) 11:381–8. doi: 10.1016/0022-1031(75)90017-7
28. Edwards T, Holtzman N. A meta-analysis of correlations between depression and first person singular pronoun use. *J Res Pers.* (2017) 68:63–8. doi: 10.1016/j.jrp.2017.02.005
29. Nilly M, Winquist J. Self-focused attention and negative affect: a meta-analysis. *Psychol Bull.* (2002) 128:638–62. doi: 10.1037//0033-2909.128.4.638
30. Tackman A, Sbarra D, Carey A, Donnellan M, Horn A, Holtzman N, et al. Depression, negative emotionality, and self-referential language: A multi-lab, multi-measure, and multi-language-task synthesis. *J Pers Soc Psychol.* (2019) 116:817–34. doi: 10.1037/pspp0000187
31. Fitzsimons G, Kay A. Language and interpersonal cognition: causal effects of variations in pronoun usage on perceptions of closeness. *Pers Soc Psychol Bull.* (2004) 30:547–57. doi: 10.1177/0146167203262852
32. Seider B, Hirschberger G, Nelson K, Levenson R. We can work it out: Age differences in relational pronouns, physiology, and behavior in marital conflict. *Psychology And Aging.* (2009) 24:604–13. doi: 10.1037/a0016950
33. Robinson M, Persich M, Sjöblom-Schmidt S, Penzel I. Love stories: how language use patterns vary by relationship quality. *Disc Proc.* (2020) 57:81–98. doi: 10.1080/0163853x.2019.1627158
34. Allgood SM, Seedall RB, Williams RB. Expressive writing and marital satisfaction: a writing sample analysis. *Fam Rel.* (2020) 69:380–91. doi: 10.1111/fare.12416
35. Lévesque S, Bisson V, Charton L, Fernet M. Parenting and relational well-being during the transition to parenthood: challenges for first-time parents. *J Child Fam Stud.* (2020) 29:1938–56. doi: 10.1007/s10826-020-01727-z
36. Bugental D, Johnston C. Parental and child cognitions in the context of the family. *Ann Rev Psychol.* (2000) 51:315–44. doi: 10.1146/annurev.psych.51.1.315
37. Colalillo S, Johnston C. Parenting cognition and affective outcomes following parent management training: a systematic review. *Clin Child Fam Psychol Rev.* (2016) 19:216–35. doi: 10.1007/s10567-016-0208-z
38. Ainsworth M, Bell S, Stayton D. Infant-mother attachment and social development. In: Richards M, editors. *The Integration of a Child Into a Social World.* London: Cambridge University Press (1974). p. 99–135.
39. Lovejoy M. Maternal depression: effects on social cognition and behavior in parent-child interactions. *J Abn Child Psychol.* (1991) 19:693–706. doi: 10.1007/bf00918907
40. Tenzer S, Murray D, Vaughan C, Sacco W. Maternal depressive symptoms, relationship satisfaction, and verbal behavior: a social-cognitive analysis. *J Soc Pers Relations.* (2006) 23:131–49. doi: 10.1177/0265407506060183
41. Stein A, Craske M, Lehtonen A, Harvey A, Savage-McGlynn E, Davies B, et al. Maternal cognitions and mother–infant interaction in postnatal depression and generalized anxiety disorder. *J Abnorm Psychol.* (2012) 121:795–809. doi: 10.1037/a0026847
42. DeJong H, Fox E, Stein A. Does rumination mediate the relationship between attentional control and symptoms of depression?. *J Behav Ther Exp Psychiatry.* (2019) 63:28–35. doi: 10.1016/j.jbtep.2018.12.007
43. Pennebaker JW, Boyd RL, Jordan K, Blackburn K. *The Development and Psychometric Properties of LIWC2015.* UT Fac. Work 1–22. (2015). doi: 10.15781/T29G6Z
44. Branger M, Emmen R, Woudstra M, Alink L, Mesman J. Context matters: Maternal and paternal sensitivity to infants in four settings. *J Fam Psychol.* (2019) 33:851–6. doi: 10.1037/fam0000562
45. Cowan C, Cowan P, Heming G, Garrett E, Coysh W, Curtis-Boles H, et al. Transitions to parenthood. *J Fam Issues.* (1985) 6:451–81. doi: 10.1177/019251385006004004
46. Galdiolo S, Roskam I, Verhofstadt L, De Mol J, Dewinne L, Vandaudenard S. Associations between relational pronoun usage and the quality of early family interactions. *Front Psychol.* (2016) 7:1719. doi: 10.3389/fpsyg.2016.01719
47. Agnew C, Van Lange P, Rusbult C, Langston C. Cognitive interdependence: commitment and the mental representation of close relationships. *Pers Soc Psychol.* (1998) 74:939–54. doi: 10.1037/0022-3514.74.4.939
48. Fink E, Browne WV, Kirk I, Hughes C. Couple relationship quality and the infant home language environment: gender-specific findings. *J Fam Psychol.* (2020) 34:155–64. doi: 10.1037/fam0000590
49. Tronick E, Als H, Adamson L, Wise S, Brazelton T. The infant's response to entrapment between contradictory messages in face-to-face interaction. *J Am Acad Child Psychiatry.* (1978) 17:1–13. doi: 10.1016/s0002-7138(09)62273-1
50. Magaña A, Goldstein M, Karno M, Miklowitz D, Jenkins J, Falloon I. A brief method for assessing expressed emotion in relatives of psychiatric patients. *Psychiatry Res.* (1986) 17:203–12. doi: 10.1016/0165-1781(86)90049-1
51. Goldberg D, Gater R, Sartorius N, Ustun T, Piccinelli M, Gureje O, et al. The validity of two versions of the GHQ in the WHO study of mental illness in general health care. *Psychol Med.* (1997) 27:191–7. doi: 10.1017/s0033291796004242
52. Radloff LS. The CES-D scale: a self-report depression scale for research in the general population. *Appl Psychol Meas.* (1977) 1:385–401. doi: 10.1177/014662167700100306
53. Spielberger C, Vagg P. Psychometric properties of the STAI: a reply to Ramanaiah, Franzen, and Schill. *J Pers Assess.* (1984) 48:95–7. doi: 10.1207/s15327752jpa4801_16
54. Funk J, Rogge R. Testing the ruler with item response theory: Increasing precision of measurement for relationship satisfaction with the Couples Satisfaction Index. *J Fam Psychol.* (2007) 21:572–83. doi: 10.1037/0893-3200.21.4.572
55. Straus M. Measuring intrafamily conflict and violence: the conflict tactics (CT) scales. *J Marri Fam.* (1979) 41:75–88. doi: 10.2307/351733
56. Mesman J, Linting M, Joosen K, Bakermans-Kranenburg M, van IJzendoorn M. Robust patterns and individual variations: stability and predictors of infant behavior in the still-face paradigm. *Infant Behav Dev.* (2013) 36:587–98. doi: 10.1016/j.infbeh.2013.06.004
57. Miller A, McDonough S, Rosenblum K, Sameroff A. Emotion regulation in context: situational effects on infant and caregiver behavior. *Infancy.* (2002) 3:403–33. doi: 10.1207/s15327078in0304_01
58. Hayes A. Beyond Baron and Kenny: statistical mediation analysis in the new millennium. *Commun Monogr.* (2009) 76:408–20. doi: 10.1080/03637750903310360
59. Muthén LK, Muthén B. *Mplus. The comprehensive modelling program for applied researchers: user's guide 5.* Los Angeles, CA: Muthén, B and Muthén, LK (2018).
60. Brown T. *Confirmatory Factor Analysis for Applied Research.* 1st ed. New York, NY: The Guilford Press (2006).
61. Enders CK. A Primer on maximum likelihood algorithms available for use with missing data. *Struct Equ Model.* (2001) 8:128–41. doi: 10.1207/s15328007SEM0801_7
62. THE JAMOV PROJECT. *Jamovi. (Version 1.2) [Computer Software].* (2020). Retrieved from: <https://www.jamovi.org>.
63. Woodruff-Borden J, Brothers AJ, Lister SC. Self-focused attention: Commonalities across psychopathologies and predictors. *Behav Cogn Psychother.* (2001) 29:169–78. doi: 10.1017/S1352465801002041
64. Gillis A, Gabriel B, Galdiolo S, Roskam I. Partner support as a protection against distress during the transition to parenthood. *J Fam Issues.* (2019) 40:1107–25. doi: 10.1177/0192513X19832933
65. Odell J, Maunder L, Cameron L. *Depression and Low Mood: A Guide for Partners.* OnePlusOne and Northumberland, Tyne and Wear NHS Foundation Trust. (2017). Available online at: <https://web.ntw.nhs.uk/selfhelp/leaflets/DFP%20-%20A4%20SECURED.pdf>
66. Tester-Jones M, O'Mahen H, Watkins E, Karl A. The impact of maternal characteristics, infant temperament and contextual factors on maternal responsiveness to infant. *Infant Behav Dev.* (2015) 40:1–11. doi: 10.1016/j.infbeh.2015.02.014
67. Pawlby S, Fernyhough C, Meins E, Pariante C, Seneviratne G, Bentall R. Mind-mindedness and maternal responsiveness in infant–mother interactions in mothers with severe mental illness. *Psychol Med.* (2010) 40:1861–9. doi: 10.1017/s0033291709992340
68. Schacht R, Meins E, Fernyhough C, Centifanti L, Bureau J, Pawlby S. Proof of concept of a mind-mindedness intervention for mothers hospitalized for severe mental illness. *Dev Psychopathol.* (2017) 29:555–64. doi: 10.1017/s0954579417000177

69. Treynor W, Gonzalez R, Nolen-Hoeksema S. Rumination reconsidered: A psychometric analysis. *Cogn Ther Res.* (2003) 27:247–29. doi: 10.1023/A:1023910315561
70. Brockmeyer T, Zimmermann J, Kulessa D, Hautzinger M, Bents H, Friederich HC, et al. Me, myself, and I: Self-referent word use as an indicator of self-focused attention in relation to depression and anxiety. *Front Psychol.* (2015) 6:1564. doi: 10.3389/fpsyg.2015.01564
71. Exner JE. The self focus sentence completion: a study of egocentricity. *J Pers Assess.* (1973) 37:437–55.
72. Cummings E, Merrilees C, Ward George M. Fathers, marriages, and families: revisiting and updating the framework for fathering in family context. In: Lamb M, editor. *The Role of the Father in Child Development*. 5th ed. New York, NY: Wiley (2010). p. 154–76.
73. Gottman J, Levenson R. A two-factor model for predicting when a couple will divorce: exploratory analyses using 14-year longitudinal data. *Fam Proc.* (2002) 41:83–96. doi: 10.1111/j.1545-5300.2002.40102000083.x
74. Hallers-Haalboom E, Groeneveld M, van Berkel S, Endendijk J, van der Pol L, Linting M, et al. Mothers' and fathers' sensitivity with their two children: a longitudinal study from infancy to early childhood. *Dev Psychol.* (2017) 53:860–72. doi: 10.1037/dev0000293
75. Steenhoff T, Tharner A, Væver MS. Mothers' and fathers' observed interactions with pre-schoolers: similarities and differences in parenting behaviour in a well-resourced sample. *PLoS ONE.* (2019) 14:e0221661. doi: 10.1371/journal.pone.0221661
76. Volling BL, Cabrera NJ. Advancing research and measurement on fathering and children's development. *Monogr Soc Res Child Dev.* (2019) 84:7–160. doi: 10.1111/mono.12404
77. Schoppe-Sullivan S, Fagan J. The evolution of fathering research in the 21st century: persistent challenges, new directions. *J Marriage Fam.* (2020) 82:175–97. doi: 10.1111/jomf.12645
78. Lucassen N, Tharner A, van Ijzendoorn M, Bakermans-Kranenburg M, Volling B, Verhulst F, et al. The association between paternal sensitivity and infant-father attachment security: a meta-analysis of three decades of research. *J Fam Psychol.* (2011) 25:986–92. doi: 10.1037/a0025855
79. Umemura T, Jacobvitz D, Messina S, Hazen N. Do toddlers prefer the primary caregiver or the parent with whom they feel more secure? The role of toddler emotion. *Infant Behav Dev.* (2013) 36:102–14. doi: 10.1016/j.infbeh.2012.10.003
80. Paquette D. Theorizing the father-child relationship: mechanisms and developmental outcomes. *Hum Dev.* (2004) 47:193–219. doi: 10.1159/000078723
81. Dumont C, Paquette D. What about the child's tie to the father? A new insight into fathering, father-child attachment, children's socio-emotional development and the activation relationship theory. *Early Child Dev Care.* (2013) 183:430–46. doi: 10.1080/03004430.2012.711592
82. Olsavsky A, Berrigan M, Schoppe-Sullivan S, Brown G, Kamp Dush C. Paternal stimulation and father-infant attachment. *Attach Hum Dev.* (2019) 22:15–26. doi: 10.1080/14616734.2019.1589057
83. Kotila LE, Schoppe-Sullivan SJ, Kamp Dush CM. Time in parenting activities in dual-earner families at the transition to parenthood. *Fam Rel.* (2013) 62:795–807. doi: 10.1111/fare.12037
84. Scott A. Cognitive behavioural therapy and young people: an introduction. *J Fam Health Care.* (2009) 19:80–2.
85. Dimidjian S, Hollon S, Dobson K, Schmaling K, Kohlenberg R, Addis M, et al. Randomized trial of behavioral activation, cognitive therapy, and antidepressant medication in the acute treatment of adults with major depression. *J Consult Clin Psychol.* (2006) 74:658–70. doi: 10.1037/0022-006x.74.4.658
86. Stein A, Netsi E, Lawrence PJ, Granger C, Kempton C, Craske MG, et al. Mitigating the effect of persistent postnatal depression on child outcomes through an intervention to treat depression and improve parenting: a randomised controlled trial. *Lancet Psychiatry.* (2018) 5:134–44. doi: 10.1016/S2215-0366(18)30006-3
87. Bornstein M. Cultural approaches to parenting. *Parenting.* (2012) 12:212–21. doi: 10.1080/15295192.2012.683359
88. Wang Q. Remembering the self in cultural contexts: a cultural dynamic theory of autobiographical memory. *Mem Stud.* (2016) 9:295–304. doi: 10.1177/1750698016645238
89. Horwitz AV, Wakefield JC. *The Loss of Sadness: How Psychiatry Transformed Normal Sorrow Into Depressive Disorder*. New York, NY: Oxford University Press (2007).
90. Psychogiou L, Moberly NJ, Parry E, Russell AE, Nath S, Kallitsoglou A. Does fathers' and mothers' rumination predict emotional symptoms in their children?. *Br J Clin Psychol.* (2017) 56:431–42. Available online at: <https://bpspsychub.onlinelibrary.wiley.com/doi/abs/10.1111/bjc.12148>
91. Wu Q, Feng X, Gerhardt M, Wang L. Maternal depressive symptoms, rumination, and child emotion regulation. *Eur Child Adolesc Psychiatry.* (2019) 29:1125–34. doi: 10.1007/s00787-019-01430-5
92. Mesman J, van Ijzendoorn M, Bakermans-Kranenburg M. The many faces of the Still-Face Paradigm: A review and meta-analysis *Dev Rev.* (2009) 29:120–62. doi: 10.1016/j.dr.2009.02.001
93. Browne DT, Leckie G, Prime H, Perlman M, Jenkins JM. Observed sensitivity during family interactions and cumulative risk: a study of multiple dyads per family. *Dev Psychol.* (2016) 52:1128–38. doi: 10.1037/dev0000143
94. Hughes C, Devine RT, Mesman J, Blair C. *The New Fathers and Mothers Study: Well-Being, Parenting and Children's Self-Regulation* (2018). Colchester: UK Data Service.

Disclaimer: The content of this paper is the responsibility of the authors and does not reflect official views of these funding bodies.

Conflict of Interest: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2020 Foley, Álvarez, McCarthy and Hughes. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.